

F

# INDEX MAPS.

T. 13 N. R. 10 W. 2<sup>nd</sup> Mer.

			247,8 249	247,8	247,8	247,8			
6	5	266	4	269	3	256	2	252	1 246
			265,6	259		256		252	
7	8	265	9	259	10	256	11	252	12 246
			264	259		255		251	
18	17	264	16	258	15	255	14	251	13 246
			263	258		256		251	
19	20	263	21	258	22	254	23	251	24 245
			262	257		254		250	
30	29	261	28	257	27	253	26	250	25 245
			260	257		253		249	
31	32	260	33	256	34	253	35	249	36 245
			243,4	243,4		243,4		243	

T. 14 N. R. 10 W. 2<sup>nd</sup> Mer.

			271 272	271,2	271,2	271			
6	5	291	4	283	3	279	2	276	1 270
			290	283		279		276	
7	8	290	9	282	10	279	11	275	12 270
			289	282		278		275	
18	17	289	16	282	15	278	14	275	13 270
			286	281		278		274	
19	20	286	21	281	22	277	23	274	24 269
			285	281		277		274	
30	29	285	28	280	27	277	26	273	25 269
			284	280		277		273	
31	32	283	33	280	34	276	35	273	36 269
			267,8	267,8		267,8		267	

The figures on the lines refer to the page.

Township N. 13. North of Range N. 10 West of the 2<sup>nd</sup> Meridian

South Boundary

East On a Random line On the South B. of sec. 33.  
T. 13. N. R. 10 W.

24.50 To a rock 30 links wide, corner S. E.

40.00 Set a temporary post

79.00 To a Rock 5 links wide, corner S. E.

80.00 Set a temporary post for the corner 33 & 34.

Land 1/2 mile broken; last 1/2 mile heavy woods  
rich farming land Timber Spruce.

East On a Random line On the South B. of sec. 34  
T. 13. N. R. 10 W.

20.00 To a small Rock. corner S. W.

40.00 Set a temporary post

80.00 Set a temporary post for the corner 34 & 35.

Land 1/2 mile Spruce. last 1/2 mile wood and rather too  
wet. Timber Spruce.

East On a Random line On the South B. of sec. 35.  
T. 13. N. R. 10 W.

20.50 To a Rock 4 links wide, corner N. E.

40.00 Set a temporary post

80.00 Set " " post for the corner 35 & 36.

Land rolling or rather broken. much better good  
for farming; Timber Spruce.

East On a Random line On the South B. of sec. 36.  
T. 13. N. R. 10 W.

18.00 To a Rock 10 links wide, corner S. E.

40.00 Set a temporary post

41.00 To a Rock 14 links wide, corner S. E.

61.50 " " Do. 3 " " " S. W.

80.00 Intersect the Range line 44 links North of the temporary  
corner of T. 12 & 13. N. R. 10 W.

Land rolling & good for farming; Timber Black  
Spruce Poplar Ash &c.

ga

208

Camp

Corner

East On the true line On the South B. of sec. 33.  
T. 13. R. 10 W

40.00 Set the temporary support on the true line from which,  
Eugen. 6 in dist. bears. S 26 W. 20 the dist. is  
10. 6 in dist. bears. N 63 E. 16 "

80.00 Set temporary post for sec. 33 & 34 from which is N 20 E 10 in  
dist. bears. S 61 W 10 the dist. then E 20 W 6 in dist. bears. S 50 E 5 the dist.

Monday June 9. 1828

Set a post on the State at the Intersection of the  
line between T. 12 & 13. R. 10 W from which,  
Elev. 12 in dist. bears. S 70 W 21 the dist. is  
Keonhew 8 " " " N 61 W 35 " " " "  
Eugen. 12 " " " N 69 E 34 " " " "  
Buckeye 10 " " " N 6 E 35 " " "

East On the South B. of sec. 33. T. 13. R. 10 W

21.80 To the temporary support

61.60 To the first corner of sec. 33 & 34

West On the true line On the South B. of sec. 33.

18.36 To the corner of sec. 32 & 33.

Surveyed by  
William Polke D.S.

East On the true line On the South B. of sec. 34  
T. 13. R. 10 W

40.00 Set the temporary support from which, true line  
N 20 E 36 in dist. bears. N 13 W 10 the dist. is  
Buck 10 " " " S 3 E 15 " " "

80.00 Set the temporary support for the corner of sec. 34 & 35  
from which, Buck 12 in dist. bears. N 81 W 26 the dist.  
can be seen Elev. 10 " " " N 82 E 33 " "

East On the true line On the South B. of sec. 35  
T. 13. R. 10 W

40.00 Set the temporary support on the true line from which,  
Lemwood 4 in dist. bears. N 27 W 6 the dist. is

T. N. 13. N. R. N. 10 W 2nd Mer. 245

80,00 Sugar. 12 in dia. beam. S 36 E. 18 lbs. post, to  
 Get the timber post at the New Mine for the cu of cov.  
 35 & 36. From which  
 Buck 12 in dia. beam. N 61 W 47 lbs. post, to  
 New 12 " " " S 49 E. 18 " "

East On the New Mine On the South B. of cu. 36.  
 T. 13. N. R. 10 W  
 40,00 Get a timber post for a post on the New Mine from which,  
 Sugar. 36 in dia. beam. S 38 W. 6 lbs. post, to  
 Buck 28 " " " N 31 W 26 " "  
 80,00 To the cu of T. 12 & 13. N. R. 10 W

East Boundary N. 7. 00 H. 23.  
 North On the East Boundary of cu. 36. T. 13. N. R. 10 W  
 40,00 Get a timber post from which,  
 Oak. 24 in dia. beam. S 47 E. 38 lbs. post, to  
 Buck 18 " " " N 70 W 40 " "  
 80,00 Get a post for the cu of cov. 25 & 36. from which,  
 Hemlock 14 in dia. beam. N 45 W 33 lbs. post, to  
 Sugar. 14 " " " S 20 W 45 " "  
 Good a little rolling or broken and good for  
 farming Timber Buck, Sugar, &c.

North On the East B. of cu. 25 T. 13. N. R. 10 W  
 40,00 Get a timber post from which,  
 Hemlock 8 in dia. beam. S 66 W 16 lbs. post, to  
 Do. 14 " " " S 77 E. 45 " "  
 80,00 Get a post for the cu of cov. 24 & 25 from which,  
 Spruce. 6 in dia. beam. N 84 E. 6 lbs. post, to  
 Hemlock 6 " " " S 19 W 33 " "  
 Good lumber and 2nd. water, Timber Oak, &c.

North On the East B. of cu. 24 T. 13. N. R. 10 W  
 40,00 Top Post 40 lbs. post, beam E.  
 40,00 Get a timber post from which,



## T. N. 13. N. R. N. 1877 D. &amp; M. Ind.

Aug. 10 in dist. town S 54 E. 9 lbs. dist; 2,  
 Buck 12 " " N 29 W 10 " "  
 79.50 Top Brook 10 lbs. mid, course N.E.  
 80.00 Set a post for the co of sec 13 & 24 from which,  
 Buck 10 in dist. town. S 68 W 23 lbs. dist; 1,  
 Ho. 24 " " N 77 E 22 " "  
 Land hilly and 3rd rate; Timber Buck &c.

North On the East 43.7 sec 13. T. 13. N. R. 1877  
 40.00 Set a post for the co of sec 13 & 24 from which,  
 W Oak. 10 in dist. town. S 84 E 47 lbs. dist; 2,  
 Head brook. 12 " " N 63 W 17 " "  
 41.50 Top Brook. 10 lbs. mid, course N.E.  
 80.00 Set a post for the co of sec 12 & 13 from which,  
 W Oak 30 in dist. town. N 32 E. 44 lbs. dist; 2,  
 Buck 36 " " " 65 W 4 " "  
 Land but and good for farming Timber Buck,  
 Sugar Oak.

North On the East 13.7 sec. 12 T. 13. N. R. 1877  
 40.00 Set a post for the co of sec 12 & 13 from which,  
 Buck 8 in dist. town. S 3 E 26 lbs. dist; 2,  
 Ho. 12 " " " N 5 E 32 " "  
 44.00 Top Brook. 10 lbs. mid, course N.E.  
 80.00 Set a post for the co of sec 12 & 13 from which,  
 Buck 26 in dist. town. S 17 E. 32 lbs. dist; 2,  
 Ho. 30 " " " N 31 W 10 " "  
 Land & Timber same.

North On the East 13.7 sec. 1. T. 13. N. R. 1877  
 40.00 Set a post for the co of sec 12 & 13 from which,  
 Buck 13 in dist. town. S 23 E. 26 lbs. dist; 2,  
 Ho. 15 " " " N 12 W 32 " "  
 79.30 Set a post for the co of sec 12 & 13 from which,  
 Buck 13 in dist. town. S 23 E. 26 lbs. dist; 2,  
 Ho. 15 " " " N 12 W 32 " "  
 Land & Timber same.

J. N. 13. N. R. N. 10 W 2<sup>nd</sup> Mer. Ind. 124

Bank 20 in dist. from N 26 E. 2 lks dist; on  
W. Gph. 40 " " " 43 W. 87.  
Good land and good for farming Timber Bush,  
Sugar, Ash, Walnut.

### North Boundary

Line 22<sup>nd</sup>

West Oak Run from line On the South 1/4 of sec. 36.  
T. 14. N. R. 10 W.

13.50 Log Brook 10 lks. on, corner N. W.

40.00 Set a trip. post for suppost.

80.00 Set a trip. post for the cor. of sec. 35 & 36.  
Good land and good for farming; Timber  
Sugar Oak & Elm Walnut.

West Oak Run from line On the South 1/4 of sec. 35  
T. 14. N. R. 10 W.

40.00 Set a trip. post for suppost.

80.00 " " post for the cor. of sec. 34 & 35.  
Good Sec. 1<sup>st</sup> rate; Timber Oak & Sugar,

West Oak Run from line On the South 1/4 of sec. 34  
T. 14. N. R. 10 W.

40.00 Set a trip. post for suppost.

77.50 Log Brook 10 lks. on, corner N.

80.00 Set a trip. post on the true line for the cor. of sec. 33 & 34  
Good land and 2<sup>nd</sup> rate; Timber Oak, Hickory,

West Oak Run from line On the South 1/4 of sec. 33.  
T. 14. N. R. 10 W. Line 23<sup>rd</sup>

40.00 Set a trip. post for suppost

55.00 Log prairie.

70.00 Log prairie.

80.00 Set a trip. post for the cor. of sec. 32 & 33.  
Good land.

T. N. 13 N. R. N. 10 W 2<sup>nd</sup> Mer. Ind.

East On the town line On the South B. of sec. 33.  
T. 14 N. R. 10 W.

40,00 Set a 1/2 support temp. 7 from which  
Red 178 in dist. from. N 32 E. 34 lbs dist; or  
Cherry 64 " " " 33 W. 12 " "

80,00 Set the temp. 7 post on the town line for the cor. of sec.  
33 & 34 from which  
W Oak. 18 in dist. from. N 50 E. 13 lbs dist; or  
W Oak. 36 " " " 51 W. 65 " "

# [See head of next page]

East On the town line On the South B. of sec. 34  
T. 14 N. R. 10 W.

40,00 Set the temp. 7 1/2 support on the town line from which  
W Oak. 30 in dist. from. N 52 W. 24 lbs dist; or  
Cypress 24 " " " 85 E. 67 " "

80,00 Set the temp. 7 post on the town line for the cor. of sec. 34 &  
35 from which  
W Oak. 24 in dist. from. N 27 E. 48 lbs dist; or  
Do. 18 " " " 79 W. 29 " "

East On the town line On the South B. of sec. 35.  
T. 14 N. R. 10 W.

40,00 Set the temp. 7 1/2 support on the town line from which  
Cypress 10 in dist. from. N 84 E. 23 lbs dist; or  
W Oak. 36 " " " 57 W. 27 " "

80,00 Set the temp. 7 1/2 support on the town line for the cor.  
of sec. 35 & 36 from which  
W Oak. 30 in dist. from. N 9 E. 40 lbs dist; or  
Do. 14 " " " 20 W. 4 " "

East On the town line On the South B. of sec. 36.  
T. 14 N. R. 10 W.

40,00 Set the temp. 7 1/2 support on the town line from which  
W Oak. 18 in dist. from. N 70 E. 15 lbs dist; or  
Beech 18 " " " 16 W. 26 " "

80,00 Set the cor. of T. 13 & 14 N. R. 9 & 10 W. W Harris. 101.

T. N<sup>o</sup> 13. N. R. N<sup>o</sup> 10 W. Dm. (Mm. Ind. 249

#	<p>Wednesday Jan. 11. 1828.</p> <p>Set a post on the State line between Indiana &amp; Illinois at the intersection with the South 23<sup>d</sup> of T. 14 N. R. 10 W. South side of Sec. 33. from which an Oak 10 in dia<sup>r</sup> in the edge of the prairie bears S 87 E 31<sup>d</sup> 100 yds; &amp; an Ash 10 in dia<sup>r</sup> bears West 14 57<sup>d</sup> the dist</p>
East 16.27	<p>On the South 23<sup>d</sup> of Sec. 33. T. 14. N. R. 10 W.</p> <p>In the 1<sup>st</sup> sup<sup>er</sup> post. The burning tree now destroyed by fire; marked a</p> <p>Black Bear 6 in dia<sup>r</sup> bears S 30 W. 7<sup>d</sup> the dist; 12</p> <p>do 6 " " " N 30 E 7<sup>d</sup> "</p>
56.20	<p>In the cor of sec. 33 &amp; 34</p>
West 23.40	<p>On the South 23<sup>d</sup> of Sec. 33. T. 14. N. R. 10 W.</p> <p>In the post cor of sec. 32 &amp; 33</p> <p>Surveyed by William Polke Esq.</p>
North 36.00 40.00 80.00	<p>Subdivisions Feb. 7 21. 1816.</p> <p>Between Sec 35 &amp; 36. T. 13. N. R. 10 W. 1<sup>st</sup> 5.00</p> <p>To a Brook 15 yds wide, corner S. E.</p> <p>Set a post from which</p> <p>Sugar 8 in dia<sup>r</sup> bears S 44 E. 9<sup>d</sup> the dist; 12</p> <p>do 8 " " " N 89 W. 26<sup>d</sup> "</p> <p>Set a post further cor of sec. 25, 26, 35 &amp; 36. from which</p> <p>Bear 15 in dia<sup>r</sup> bears S 36 E. 8<sup>d</sup> the dist; 12</p> <p>do 12 " " " N 32 W. 11<sup>d</sup> "</p> <p>Found a little rolling land good for farming</p> <p>Timber Birch &amp; Sugar.</p>
East 40.00 50.00 79.40	<p>Ogawagona line between Sec. 25 &amp; 36. T. 13. N. R. 10 W.</p> <p>Set a temp. 1<sup>st</sup> sup<sup>er</sup> post</p> <p>To a Brook 10 yds wide, corner S.</p> <p>Intersect the East Bm. at 24 yds South of the post</p> <p>Cor of sec. 25 &amp; 36.</p>



## T. N. 13. N. R. N. 10 N. 2nd Mer. Sur.

Good land and good for farming Timber Oak,  
Sugar & Ash, &c.

West On the true line between Sec. 25 & 26. T. 13. N. R. 10 N.  
39.70 Set the trip. 7 1/2 cu post at the ar dish on the true line  
from which Sugar 14 in dia. beam. N 79 E. 66 lbs dish  
and a Do. 10 " " " S 59 N. 42 " "  
79.60 To the post on of sec. 25, 26, 35 & 36.

South On a Random line between Sec. 25 & 26. T. 13. N. R. 10 N.  
40.00 Set a trip. 7 1/2 cu post  
80.05 Intersect the E. & W. line 38 lbs East of the post call  
Sec. 25, 26, 35 & 36.  
Good land and good for farming Timber Oak,  
Sugar &c.

North On the true line between Sec. 25 & 26. T. 13. N. R. 10 N.  
40.00 Set the trip. 7 1/2 cu post at the ar dish on the true line  
from which N Oak 12 in dia. beam. S 51 E. 18 lbs dish  
and a N Oak 10 " " " N 10 E. 38 " "  
80.05 To the post on of sec. 23, 24, 25 & 26.

East On a Mer. Ann line between Sec. 24 & 25. T. 13. N.  
R. N. 15 N.  
40.00 Set a trip. 7 1/2 cu post  
78.83 Intersect the East Boundary 36 lbs North of the post.  
Co. of sec. 24 & 25.  
Good Broken and 2nd rate; Timber Oak &  
Sugar, &c.

West On the true line between Sec. 24 & 25. T. 13. N. R. 10 N.  
39.41 Set the trip. 7 1/2 cu post at the ar dish on the true line  
from which Oak 12 in dia. beam. S 31 N. 24 lbs dish  
and a Oak 18 " " " S 49 E. 18 " "  
78.83 To the post on of sec. 23, 24, 25 & 26.



251

T. No 13. N.R. No 1077 2nd Mer. Ind.

South 23.50	On a Ransom line between Sec. 23 & 24. T. 13. N.R. 1077 To a Brook 50 yds. from S.E. A coal bank lies in the South Side of the creek
40.00	Set a trap for sea post
80.00	Set out the E & W line 20 the West of the post on of Sec. 23, 24, 25 & 26. Good & timber farm.
North 40.00	On the same line between Sec. 23 & 24. T. 13. N.R. 1077 Set the trap for sea post at the end of the line from which, N. 15 in air. bears. S 89 W 14 the dish and a Bush 8 " " " N 30 E 18 " "
80.00	To the post on of Sec. 13, 14, 23 & 24
East 40.00	On a Ransom line between Sec. 13 & 24. T. 13. N.R. 1077 Set a trap for sea post
79.34	Set out the East (23) 128 the North of the post on of Sec. 13 & 24. Good a little rolling or broken Good for farming Timber Bush & c.
West 39.67	On the same line between Sec. 13 & 24. T. 13. N.R. 1077 Set the trap for sea post on the same line at the end from which, S 12 in air. bears N 51 E 38 the dish and a Do. 14, " " S 43 W 54, "
79.34	To the post on of Sec. 13, 14, 23 & 24.
North 40.00	Between Sec. 13 & 14. T. 13. N.R. 1077. A S 10 in air. Stomach for the on of 1/4 Sec
80.00	Set a post for the on of Sec. 11, 12, 13 & 14 from which, Bush 12 in air. bears. S 14 E 19 the dish; by Do. 20 " " " N 56 W 17, "
	Good good for farming Timber Bush & c.
East 40.00	On a Ransom line between Sec. 12 & 13. T. 13. N.R. 1077 Set a trap for sea post V. 5. 15'

T. N. 13. N. R. No 1072<sup>nd</sup> Min. Ind:

78.95 Intersect the East Boundary 30 the South of the post  
 cor of ev. 12. & 13.  
 Second hand and 2<sup>nd</sup> rate; Similar same.

West On the line between Sec 12 & 13. T. 13. N. R. 1072  
 39.47 Set the temp. 7<sup>th</sup> support at the on dish on the line  
 from which, Height 10 in dist. from. N 10 E 7 the dish  
 and a Do. 12 " " " S 55 E. 19. "  
 78.95 To the post cor of ev. 11. 12. 13 & 14

South On a Random line between Sec 11 & 12. T. 13. N. R. 1072  
 40.00 Set a temp. 7<sup>th</sup> support.  
 80.25 Intersect the E & W line 52 the East of the post cor of  
 Sec. 11. 12. 13 & 14  
 Second hand and 2<sup>nd</sup> rate; Similar same.

North On the line between Sec 11. & 12. T. 13. N. R. 1072  
 40.12 Set the temp. 7<sup>th</sup> support at the on dish on the line  
 from which, Height 9 in dist. from. S 81 W. 44 the dish  
 and a Do. 10 " " " N 85 E. 22 " "  
 80.25 To the post cor of ev. 1. 2. 11. & 12

East On a Random line between Sec 1 & 12. T. 13. N. R. 1072  
 40.00 Set a temp. 7<sup>th</sup> support the 5. 40  
 78.50 Intersect the East B. of the North of the post cor of  
 Sec. 1 & 12.  
 Second good for farming; Similar Bush, Sugar  
 Walnut.

West On the line between Sec 1 & 12. T. 13. N. R. 1072  
 39.25 Set the temp. 7<sup>th</sup> support at the on dish on the line  
 from which, Height 12 in dist. from. S 83 E. 33 the dish  
 and a Bush 12 " " " N 60 W 50 " "  
 78.50 To the post cor of ev. 1. 2. 11 & 12

North Return Sec 1 & 12. T. 13. N. R. 1072.

253

T. No 13. N. R. No 107. Oak Run. Ind.

40.00 Set a 7<sup>th</sup> support from which,  
 B Oak 30 in dist. from. S 70 E 30 the creek, to  
 Buck 10 " " " S 89 W 37 " "  
 68.00 To a Brook corner N.E.  
 79.20 Enter at the N.W. 15<sup>th</sup> the East of the post on of ew  
 35 & 36. T. 14. N. R. 107 and set a post for the cor of  
 S.W. 1 & 2 from which,  
 N Oak 14 in dist. from. S 25 W 5 the creek, to  
 W Oak 24 " " " N 33 E 48 " "

---

South On a Run line between Sec. 34 & 35 T. 13. N. R. 107  
 38.00 To a Brook 10 the mile, corner S. E.  
 40.00 Set a temp. 7<sup>th</sup> support.  
 80.10 Enter at the South W. 15<sup>th</sup> of township 15 the West of  
 the post on of ew. 34 & 35.  
 Land held on a 2<sup>nd</sup> rate; for; Timber Buck. Oak.

---

North On the Run line between Sec. 34 & 35 T. 13. N. R. 107  
 40.05 Set the temp. 7<sup>th</sup> support at the end of the Run line  
 from which, Sugar 8 in dist. from. S 66 E 29 the creek  
 and a Do. 8 " " " N 85 W 25 " "  
 80.10 To the post on of ew. 26. 27. 34 & 35.

---

West Return Sec. 26 & 35. T. 13. N. R. 107. N. to 00  
 40.00 Set a 7<sup>th</sup> support from which,  
 Buck 12 in dist. from. N 8 W 22 the creek; to  
 Sugar 14 " " " S 14 W 50 " "  
 45.50 To a Brook 10 the mile, corner S. E.  
 80.00 Set a post for the cor of ew. 26. 27. 34 & 35 from which,  
 W Oak 24 in dist. from. N 59 W 39 the creek; to  
 Do. 36 " " " S 45 E 21 " "  
 Land held & good for farming Timber Oak, Sugar  
 & Ash. J.

---

South On a Run line between Sec. 26 & 27 T. 13. N. R. 107  
 15.00 To a Swamp

40.00	Set a temp. 17 <sup>th</sup> sap post
79.80	Enter cut the E 1 <sup>st</sup> W line 74 <sup>th</sup> N East of the post car of sec 26. 27. 34 & 35 Land here and out; 2 <sup>nd</sup> rate; Timber Beech, Hickory & Oak.
North	On the line between Sec. 26 & 27. T. 13. N. R. 10 W.
39.90	Set the temp. 17 <sup>th</sup> sap post at the an dish on the line from which, W Oak. 18 in dia. bears S 86 <sup>th</sup> W. 31 lbs dish and as Sugar 12 " " " N 47 <sup>th</sup> E. 19 " "
79.80	Take care of sec. 22, 23, 26 & 27.
East	Between Sec. 23 & 26. T. 13. N. R. 10 W
40.00	Set a 7 <sup>th</sup> sap post from which, W Oak. 40 in dia. bears N 22 <sup>th</sup> E. 5 lbs dish; as Beech 10 " " " S 35 <sup>th</sup> E. 22 " "
80.00	Set a post for the care of sec. 23, 24, 25 & 26. from which, Beech 12 in dia. bears S 47 <sup>th</sup> W. 9 lbs dish; as L. 18 " " " N 33 <sup>th</sup> E. 39 " "
	Land here and good for farming Timber Beech, Sugar. & r
North	Between Sec. 22 & 23. T. 13. N. R. 10 W
40.00	Set a 7 <sup>th</sup> sap post from which, Sugar. 12 in dia. bears S 19 <sup>th</sup> E. 27 lbs dish; as W Oak. 14 " " " N 57 <sup>th</sup> W. 61 " "
52.50	Iron Bar N. 15 lbs dish, corner E.
80.00	Set a post for the care of sec. 14, 15, 22 & 23 from which, Poplar. 12 in dia. bears S 20 <sup>th</sup> W. 23 lbs dish; as L. 18 " " " N 35 <sup>th</sup> W. 54 " "
	Set a little Barren & 2 <sup>nd</sup> rate. Timber Beech, Sugar & Poplar & L.
West	On a Ran arm line between Sec. 15 & 22. T. 13. N. R. 10 W
40.00	Set a temp. 17 <sup>th</sup> sap post
80.20	Enter cut the N 13 <sup>th</sup> line 30 <sup>th</sup> N North of the post car of



T. N. 13. N. R. N. 10 W 2<sup>nd</sup> (Mr. Inn. 255

Dec. 15 16. 21 22. T 13. N R. 10 W

East Between Dec. 14 23 T 13. N R. 10 W  
 40.00 Set a p. upst from which  
 down 10 in dia. line. N 67 W 37 the inch; 29  
 Elev. 10 " " " 42 E. 52 " "  
 46.00 Top Brook 30 the min, lower S. E.  
 47.00 " Do. 10 " " " S.  
 80.00 Set a post for the cor of sw. 14 15 14 75 13 14 23 24  
 from which, N Oak. 24 in dia. line. N 38 E. 34 the inch  
 and a Do. 24 " " " 54 W. 19 " "  
 Land broken & 2<sup>nd</sup> rate; Timber Oak &c.

See

South Oak Run line between Dec. 14 75 T 13. N R. 10 W  
 40.00 Set a temp. 7 p. upst.  
 48.50 Is a creek 30 the min, lower S. E.  
 49.89 Set out the E 7 W line 38 the West of the post cor of  
 Dec. 14 15 22 73.  
 Land a little broken and 2<sup>nd</sup> rate; Timber Beech,  
 Oak Sugar &c.

North Oak Run line between Dec. 14 75 T 13. N R. 10 W.  
 Set 7 24 18 16.  
 39.94 Set the temp. 7 p. upst at the cor which on the Run line  
 from which, N Oak. 10 in dia. line. N 66 E. 36 the inch;  
 and a Do. 12 " " " 56 W. 40 " "  
 79.89 Is the post cor of sw. 10 11 14 75.

West Between Dec. 11 74 T 13. N R. 10 W  
 40.00 Set a p. upst from which a  
 Beech. 18 in dia. line. N 65 E. 36 the inch; &  
 N Oak 24 " " " 42 W 32 " "  
 52.50 Top Brook 10 the min, lower S. E.  
 80.00 Set a post for the cor of sw. 10 11 14 75 from which,  
 Hick 10 in dia. line. N 85 W. 28 the inch; &  
 N Oak 8 " " " N 68 E. 12 " "



T. N. 13 N. R. N. 10 W 2<sup>nd</sup> Mm. land:  
Land good for farming Limbu Beach Oak Sugar

North Return Dec 10 & 11 T. 13. N. R. 10 W.  
40.00 Set a 7<sup>th</sup> support from which,  
Neak 10 in dist. beam. N 27 E. 14 lbs. dist; 2,  
Maple. 12 " " " S 64 W 19 " "  
80.00 Set a post for the corner 2. 3. 10. & 11 from which,  
Neak 10 4 in dist. beam. S 4 W. 36 lbs. dist; 2,  
Shesafas 4 " " " N 35 E. 21 " "  
Land not at 3<sup>rd</sup> rate.

East Return Dec 2 & 11. T. 13. N. R. 10 W  
40.00 Set a 7<sup>th</sup> support from which,  
Neak 12 in dist. beam. S 65 W. 18 lbs. dist; 2,  
Oak. 24 " " " N 2 E. 50 " "  
80.00 Set a post for the corner 1. 2. 11 & 12 from which,  
Beak 14 in dist. beam. N 86. W 48 lbs. dist; 2,  
Oak. 24 " " " S 62 E. 33 " "  
Land held and 2<sup>nd</sup> rate for farming; Limbu  
Beach, Sugar. & Oak.

North Return Dec. 2 & 3, T. 13. N. R. 10 W  
40.00 Set a 7<sup>th</sup> support from which,  
Neak. 20 in dist. beam. N 32 E. 25 lbs. dist; 2,  
Do. 12 " " " S 25 W 38 " "  
78.92 Enter cut the N. D. 191 lbs East of the post on of  
Dec. 34 & 35 T. 14 N. R. 10 W and set a post for the  
Cor. of sec 2 & 3 from which,  
Neak 10 in dist. beam. N 40 W 21 lbs. dist; 2,  
Oak. 6 " " " S 12 W. 14 " "

South Oga Ransom line Return Dec 33 & 34 T. 13. N. R. 10 W  
40.00 Set a 7<sup>th</sup> support  
80.19 Enter cut the South D. of Sp. 10 lbs West of the cor.  
of sec. 33 & 34.  
Land held and not 3<sup>rd</sup> rate soil; Limbu Sugar Beach

J. N. 13. A. R. N. 1077 Dec. 257

+ Oak 1.

North On the same line between Dec. 33 & 34 J. 13. A. R. 1077  
 40.09 Set the trap 1/2 cup of at the no dish with the same  
 from which, on Dec 14 in dish house. N 78 N 50 the dish  
 was a Keik 12 " " 466 E 28 " "  
 80.19 Set the post on of ear 27. 28 33 & 34.

West Between Dec 27 & 34 J. 13. A. R. 1077. p. 5. 00  
 40.00 Set a 1/2 cup of from which, (A. B. 10. S. E.)  
 N 78 N 50 in dish house. 88 E 59 the dish; r,  
 Beak. 14 " " 537 N 18 " "  
 80.00 Set a post for the cu of ear 27. 28. 33 & 34 from which,  
 Maple. 10 in dish house. N 7 E 44 the dish; r,  
 No. 12 " " " 562 N 16 " "  
 Found wood on 2nd rate; Timber Oak, Keik 3, 8 ash, 1.

North Between Dec 27 & 28 J. 13. A. R. 1077.  
 4.00 To a lamp  
 40.00 Set a 1/2 cup of from which,  
 Black. 4 in dish house N 5 E 16 the dish; r,  
 No. 6 " " " 520 N 6 " "  
 44.00 To a lamp  
 80.00 Set a post for the cu of ear 21. 22 27 & 28 from which,  
 Black. 6 in dish house. N 14 N 10 the dish; r,  
 N 8 " " " 529 N 18 " "  
 Found wood on 3rd rate list Timber Sugar Birch.  
 Oak.

Feb. 22. 1816. N. 3 Birth day

East Between Dec 22 & 27 J. 13. A. R. 1077  
 40.00 Set a 1/2 cup of from which,  
 Sugar. 8 in dish house. 69 N 15 the dish; r,  
 No. 10 " " " 51 E 39 " "  
 80.00 Set a post for the cu of ear 22. 23. 26 & 27 from which,  
 Keik 10 in dish house. 87 N 46 the dish; r,

T. N. 13. N. R. N. 1077 2<sup>nd</sup> Me. Ind.

B Oak. 14 in dist. trees. N 87 E. 52 lbs. dist;  
 Sand bar and wet 2<sup>nd</sup> rate; Timber Oak, Hickory &  
 Oak &c.

North Return Sec 21 1922 T. 13. N. R. 1077.  
 32.50 To a Brook. 20 lbs. dist. corner S. E.  
 40.00 Set a 7/4 ex post. from which,  
 Sugar. 6 in dist. trees. N 25 E. 11 lbs. dist; &  
 B. Oak. 6 " " " S 15 W. 11 " "  
 80.00 Set a post further on of Sec. 15. 16. 21. 22 from which,  
 W Oak. 12 in dist. trees. N 24 E. 23 lbs. dist; &  
 B Oak 36 " " " S 17 W. 27 " "  
 Second rolling and 2<sup>nd</sup> rate; Timber Oak, Hickory &c.

West On a Run down line between Sec. 15 & 22. T. 13. N. R. 1077.  
 40.00 Set a temporary ex post.  
 80.20 Intersub the N 15 line 30 lbs. North of the post on of  
 Sec. 15. 16. 21 & 22  
 Second rolling and 2<sup>nd</sup> rate; Timber Oak, Birch, &c.

East. On the line between Sec. 15 & 22. T. 13. N. R. 1077. See  
 40.10 Set a 7/4 temporary post at the corner with the line from  
 which, B Oak. 4 in dist. trees. N 54 E. 5 lbs. dist; &  
 Sugar. 10 " " " N 69 W. 20 " "  
 80.20 To the post on of Sec. 14. 15. 22 & 23.

South On a Run down line between Sec. 15 & 16. T. 13. N. R. 1077.  
 40.00 Set a temporary ex post.  
 79.91 Intersub the E & W line 30 lbs. West of the post on of  
 Sec. 15. 16. 21 & 22  
 Sand bar and soil good; some part rather wet;  
 Timber Oak & Hickory

North On the line between Sec. 15 & 16. T. 13. N. R. 1077.  
 39.95 Set the temporary post at the corner with the line from  
 which, W Oak. 13 in dist. trees. S 39 W. 15 lbs. dist; &c.

17991. N Oak. 12 in dist. from N 14 E. 18 lbs each; 2,  
To the cu of ew. 9.15 & 16. & 11.

Feb 25. 1816.

East On a Random line between Jan 10. & 13. J. 13. N. R. 1077  
37.50 To a Brook. 30 lbs each, Corner E.  
40.00 Set a trap for a rabbit  
80.50 Intercept the N 15 line 35 lbs South of the post on of ew.  
10. 11 14 & 15.  
Land Broom 12<sup>th</sup> rate Timber Oak & Hickory

West On the same line between Jan 10 & 15 J. 13. N. R. 1077.  
40.25 Set the trap for a rabbit at the on each on the same line  
from which, Sugar 8 in dist. from N 53 W. 39 lbs each  
made 20. 10 " " " 41 E. 56 " "  
80.50 To the post on of ew. 9. 10. 15 & 16.

North Between Jan 9 & 10 J. 13. N. R. 1077.  
40.00 Set a trap for a rabbit  
N Oak. 14 in dist. from N 31 E. 59 lbs each; 2,  
N Oak 24 " " " 82 N 44 " "  
57.50 To a Brook. 20 lbs each, Corner E.  
80.00 Set a post for the cu of ew. 3. 4. 9 & 10. from which you  
Elev. 14 in dist. from N 8 E. 33 lbs each; 2,  
40. 12 " " " N 37 E. 58 " "  
Land rolling and 2<sup>nd</sup> rate; Timber Oak & Hickory &c.

East On a Random line between Jan 3 & 10 J. 13. N. R. 1077  
40.00 Set a trap for a rabbit  
80.41 Intercept the N 15 line 63 lbs South of the post. cu of  
Set 2. 3. 1077.  
Land 2<sup>nd</sup> rate.

West On the same line between Jan 3 & 10 J. 13. N. R. 1077  
40.20 Set the trap for a rabbit at the on each on the same line  
from which you Elev. 10 in dist. from N 44 W 9 lbs each; 2,



80.41 Sugg. 10 in dist. hms. S22 E. 37 1/2 lbs dist;  
To the post cn of sec 34 9 110.

North Return Sec 34 T. 13. N R. 10 W.  
20.00 To a Prairie.  
31.00 " " Swamp  
39.00 Less prairie.  
40.00 Set a 7<sup>th</sup> support from which,  
B Oak 14 in dist. hms. N48 E. 35 lbs dist; or  
Do. 12 " " " S51 W. 40 " "  
48.76 Intersect the N. B. of the Town<sup>sh</sup> 158. lbs East of the  
post cn of sec 33 & 34 T. 14 N R. 10 W on a lot apart for  
the cor " " B. & 4 from which  
W Oak 20 in dist. hms. S46 E. 11 lbs dist; or  
Key 10 12 " " " N35 W. 47 " "  
Corr a not 12<sup>th</sup> rate; Timber Oak & Hickory &c.

South On a Run from line between Sec 32 & 33. T. 13. N R. 10 W  
27.50 To a Brook 20 lbs wide, Corner S.E.  
40.00 Set a temp. 7<sup>th</sup> support.  
48.00 To a Brook 6 lbs wide, Corner E.  
80.60 Intersect the South B. of T. 13 lbs West of the post cn  
of sec 32 & 33.  
Sign a North 7<sup>th</sup> line; South 7<sup>th</sup> somewhat broken.  
Timber Oak; Middle lying good for farming

North On the line between Sec 32 & 33. T. 13. N R. 10 W  
40.30 Set the temp. 7<sup>th</sup> support at the cor dist on the line  
from which, Bush 12 in dist. hms. N63 E. 16 lbs dist;  
make a Sugg. 8 " " " S50 W. 28 " "  
80.60 To the post cn of sec 28, 29, 32 & 33.

West Between Sec 28 & 33. T. 13 N R. 10 W  
40.00 Set a 7<sup>th</sup> support from which  
B Walnut 11 in dist. hms. S24 W. 16 lbs dist; or



T. N<sup>o</sup> 13. N. R. N<sup>o</sup> 10 W. 2<sup>nd</sup> Mer. Ind. 261

80.00 W. Oak 12 in diam. trees. N 25 E. 55 lbs each;  
 Set apart for the cor of sec. 28 29. 32 & 33 from which  
 Sugar 10 in diam. trees. N 71 E. 29 lbs each; &  
 Beech 12 " " " N 15 W 31 " "  
 Land well and middling good for farming; Timber  
 Oak, Hickory &c. Some Beech & Sugar.  
 Surv<sup>d</sup> by William Harris D.S.

North With the State line from the intersection between Towns  
 12 & 13. N. R. 10 W.  
 121.00 To the 13<sup>th</sup> Mile post from the Wabash River, on State line

Thursday. June. 10. 1828.  
 Set apart on the State line (between Indiana & Illinois)  
 at the intersection of the line between Sec. 28 & 33. from which  
 a Beech 10 in diam. trees. N 65 E. 15 lbs each; &  
 Hickory 12 " " " 29 E. 37 " " " "  
 Do. 20 " " " 25 W 27 " " " "  
 Do. 12 " " " N 80 W 14 " "

East From the State line between Sec. 28 & 33 T. 13. N. R. 10 W.  
 20.32 To the 7<sup>th</sup> & 8<sup>th</sup> post.  
 60.00 To the cor of sec. 27, 28 & 33 & 34.

West From the State line between Sec. 28 & 33 T. 13. N. R. 10 W.  
 19.28 To the cor of sec. 28, 29, 32 & 33.  
 Surv<sup>d</sup> by.  
 William Potter D.S.

South On a Run from line between Sec. 28 & 29. T. 13. N. R. 10 W.  
 28.50 To a Beech 10 lbs each, corner N. W.  
 40.00 Set a trip for a post  
 80.50 To the cor of the E. & W. line 30 lbs West of the post cor of sec.  
 28, 29, 32 & 33  
 Land well and good for farming; Timber com.

Feb 23<sup>rd</sup> 1816.

North On the line between Sec 28 & 29 T. 13. N. R. 10 W.  
 40.25 Set the trip 1/2 in support at the cross on the line from  
 from which, W. Oak. 15 in direction. N 58 E 23 the arch  
 under Oak. 12 " " " S 21 W 59, "  
 80.50 To the post on of sec 20. 21. 28 & 29.

East On the line between Sec 21 & 28 T. 13. N. R. 10 W.  
 40.00 Set a trip 1/2 in support  
 79.60 Set the east the N 13 line 50 lbs north of the post on of  
 Sec 21. 22. 27 & 28.  
 From a hole on a mat.

West On the line between Sec 21 & 28 T. 13. N. R. 10 W.  
 39.80 Set the trip 1/2 in support at the cross on the line from  
 which on Elm. 27 in direction. N 43 E 29 the arch;  
 under Oak. 5 " " " S 80 W. 15 " "  
 79.60 To the post on of sec 20. 21. 28 & 29

Surveyed by  
 William Harris D.S.

Set a post on the State line between Indiana & Illinois  
 at the intersection of the line between Sec 21 & 28 from  
 which on Elm. 28 in direction. S 37 W. 21 the arch;  
 under a tree 15 " " " N 20 E 33, "  
 " " Sugar 10 " " " N 75 W 47, "  
 " " Elm 30 " " " East 92, "

East From the State line between Sec 21 & 28 T. 13. N. R. 10 W.  
 19.20 To the 1/2 in support.  
 58.85 To the post on of sec 21. 22. 27 & 28.

West From the State line between Sec 21 & 28 T. 13. N. R. 10 W.  
 20.46 To the on of sec 20. 21. 28 & 29.  
 Surveyed by William Polke D.S.

T. N. 13. N. R. N. 1070<sup>th</sup> M. Ind. 263

North Return Dec 20 & 21. T. 13. N. R. 1070.  
 45.00 Set a post from which  
 Book. 18 in dist. from. N 44 E. 33. the rest; the  
 Sugar. 12 " " " S 57 N 38 "  
 80.00 Set a post for the cr. of sec. 16. 17. 20 & 21. from which on  
 Elm. 18 in dist. from. S 10 E. 77 the rest; the  
 B. Oak. 10 " " " S 84 N. 121 "  
 Small 1/2 m. N. 1070<sup>th</sup> not on so good land for  
 farming. Timber Walnut, Oak. Sugar, Sassafras.

East On a line from line between Sec. 16 & 21. T. 13. N. R. 1070.  
 10.00 Enter a prairie.  
 25.00 Passed a prairie.  
 40.00 Set a temp. 1/4 sec. post.  
 67.00 To a Brook. 12 the end, corner S.  
 79.80 Enter at the N 15 line 47 the South of the post cr. of  
 Sec. 15. 16. 21 & 22  
 Land rich on so good for farming;

West On the new line between Sec. 16. & 21. T. 13. N. R. 1070  
 39.90 Set the temp. 1/4 sec. post at the cr. with on the new line  
 from which on Oak. 8 in dist. from. S 28 E. 66 the rest;  
 on a cr. of Oak. 8 " " " N 83 E. 12 "  
 79.80 To the post cr. of sec. 16. 17. 20 & 21.  
 Surv. by William Harris Esq.

Set a post on the State line between Indiana & Illinois  
 at the intersection of the line between Sec. 16 & 21. in prairie.  
 from which on Elm. 20 in dist. from. S 27 N. 418 the rest;  
 on a cr. Oak. 12 " " " N 80 E. 430 "  
 " " Oak. 10 " " " West 11. 62 "  
 First bearing from it on a in the edge of prairie.  
 2<sup>nd</sup> " " " " E. " " "  
 3<sup>rd</sup> " " " " Edge " " "

East From the State line between Sec. 16. & 21. T. 13. N. R. 1070

19.77 To the post  
59.77 To the post on of Dec. 15. 16. 21 & 22

West Smith State bin between Dec 16 & 21  
20.33 To the on of Dec. 16. 17. 20 & 21.

by William Polke L.S.

Feb 24 1816. N. 7° 10'  
North Return Dec 16 & 17 T. 13. N. R. 10 N.  
40.00 Set a post from which,  
Oak 14 in dist. bears N 42 E. 300 lbs oak; on  
60.00 Passed prairie.  
75.00 To Brook. 12 lbs mid, corner E  
80.00 Set a post for the on of Dec. 8. 9. 16 & 17 from which  
Oak 14 in dist. bears N 67 W. 27 lbs oak; on  
Do. 36 " " " N 65 E. 46 " "  
Send out good fire

East Return Dec 9 & 16. T. 13. N. R. 10 N.  
27.00 To Brook. 10 lbs mid, corner N.  
40.00 Set a post from which,  
Oak 9 in dist. bears N 54 W. 17 lbs oak; on  
N Oak. 18 " " N 49 E. 31 " "  
80.00 Set a post for the on of Dec. 9. 10. 15 & 16 from which,  
N Oak. 20 in dist. bears N 39 W. 24 lbs oak; on  
Do. 24 " " " N 81 E. 36 " "  
Send out Smith Oak & Hickory  
Ind. by  
William Harris L.S.

Set a post on the State bin between Indiana & Illinois  
at the intersection of the bin between Dec 9 & 16 from  
which, N Oak. 24 in dist. bears N 48 E. 52 lbs oak;  
mid ~ B Oak. 18 " " " N 5 E. 32 " "  
" on N Oak. 30 " " " N 45 W. 45 " "  
" " Do. 36 " " " N 70 W. 7 " "

T. N. 13. N. R. No 107 2<sup>nd</sup> Mo. Jan: 265

East From the State line between Sec 9 & 16. T. 13. N. R. 107.  
18.00 To the 1/2 ea post  
57.68 To the en of sec 9. 10. 15 & 16.

West From the State line between Sec 9 & 16. T. 13. N. R. 107.  
21.50 Set a post on the main road at the intersection of the N. R.  
driv: En of sec 8. 9. 16 & 17. All the bearing trees destroyed  
Surveyed by William Pollock  
Leop. Sw.

From 23<sup>rd</sup> 1816.  
North Return Sec 8 & 9. T. 13. N. R. 107.  
32.50 To a Brook 10 lks wide, corner E.  
40.00 Set a 1/2 ea post from which  
—— 9 in dist. from 939 N. 46 Nks dist; to  
N. Oak. 14 " " " N 58 E 113 " "  
68.00 To a Brook 8 lks wide, corner E.  
80.00 Set a post for the en of sec 4. 5, 8 & 9 from which  
N. Oak 9 in dist. from 1187 N 58 lks dist; to  
Lo. 9 " " " N 23 E 43 " "  
Land here Timber Oak & Hickory & meadow good  
land for farming

East On a line near line between Sec 4 & 9. T. 13. N. R. 107.  
40.00 Set a temp 1/2 ea post.  
80.00 Set a post on the N. R. line at the en of sec 3. 4. 9 & 10  
Land here Timber Oak & Hickory Good land for farming

West On the line between Sec 4 & 9. T. 13. N. R. 107.  
40.00 Set the temp 1/2 ea post at the en dist on the line  
from which N. Oak 30 in dist. from N 42 E. 10 lks dist  
and a Lo. 14 " " " South 43 " "  
80.00 Set a post on sec 4. 5, 8 & 9.  
Surveyed by William Harris.  
Leop. Sw.



J. N. B. N. R. N. 10th 2nd. Mr. Ind:

Set a post on the State line at the intersection of the line  
between Sec 4 & 9 from which,

Mark 18 in dist. from. N 19 E. 20th creek; +

Loc. 18 " " " N 30 E. 63, " " "

Loc 15 " " " N 23 W 34, " " "

Loc. 10 " " " N 49 W 47, " " "

East From the State line between Sec 4 & 9 J. N. B. N. R. 10th

16.90 To the 1st east post.

56.75 To the cn of sec 3, 4, 9 & 10.

West From the State line between Sec 4 & 9 J. N. B. N. R. 10th

22.95 To the cn of sec 4, 5, 8 & 9.

Two small oaks instead of oaks.

Inv. by William P. R. D.

North Between Sec 4 & 5 J. N. B. N. R. 10th.

40.00 Set a 1st east post from which,

Mark 12 in dist. from N 13 E. 18th dist; +

Loc. 12 " " " N 4 E. 34 " "

57.05 Enter a prairie.

63.00 Passed "

69.50 Enter prairie.

71.50 Passed "

79.00 Enter cut the N B. R. N. 23 N. E. of the cn of sec 32 & 33 J.  
N. B. N. R. 10th and set a post for the cn. N. E. Oak. 15 in dist.  
It is as far as the cn. of sec 4 & 5. Inv. by W. Harris D.  
Land here is rich & good for farming.

I certify that the foregoing transcript of the field notes  
of J. N. B. N. R. N. 10th 2nd. Mr. Ind. has been compared  
with the Original notes in this Office, & found to be correct.  
Surveyor General's Office.  
April 21. 1841.

E. P. Hines  
Inv. General.